

**Notice of Allowability**

Application No.

10/606,848

Examiner

Cynthia Britt

Applicant(s)

PHELPS ET AL.

Art Unit

2138

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/30/06.
2. ☒ The allowed claim(s) is/are 1-7 and 10-17 (now renumbered 1-15).
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date present action.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 12/18/06.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
Cynthia Britt  
Primary Examiner  
Art Unit: 2138

Claims 1-7 and 10-17 are allowable over the prior arts of record.

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Edmund Walsh on December 18, 2006.

The application has been amended as follows:

Claim 1 (lines 12-14) presently reads:

if a failed actual output entity is identified in the comparing step, defining a window of valid expected entities relative to the corresponding expected output entity and comparing the failed actual output entity to expected output entities in the window of valid expected entities.

Claim 1 (lines 12-14) as amended reads:

if when a failed actual output entity is identified in the comparing step, defining a window of valid expected entities relative to the corresponding expected output entity and comparing the failed actual output entity to expected output entities in the window of valid expected entities.

Claim 10 (lines 12-14) presently reads:

if a failed actual output entity is identified in the comparing step, defining a window of valid expected entities relative to the corresponding expected output entity and comparing the failed actual output entity to expected output entities in the window of valid expected entities.

Claim 1 (lines 12-14) as amended reads:

if when a failed actual output entity is identified in the comparing step, defining a window of valid expected entities relative to the corresponding expected output entity and comparing the failed actual output entity to expected output entities in the window of valid expected entities.

### ***Drawings***

The drawings filed on 6/26/03 are acceptable subject to correction of the informalities: Figure 4 does not scan legibly. In order to avoid abandonment of this application, correction is required in reply to the Office action. The correction will not be held in abeyance.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cynthia Britt whose telephone number is 571-272-3815. The examiner can normally be reached on Monday - Thursday.

Art Unit: 2138

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decady can be reached on 571-272-3819. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

*Gynthia Britt* 12-18-06  
Gynthia Britt  
Primary Examiner  
Art Unit 2138